Application No.: 10/643747 Docket No.: YU-P07-002

AMENDMENTS TO THE CLAIMS

Claims 1-5. (canceled)

6. (Previously presented) A conductive organic material comprising an oligomer of alternating ethynyl and thienyl groups as shown in Formula I:

wherein R, independently for each occurrence, is H or optionally substituted alkyl or alkoxy.

- 7. (Previously presented) An oligomer of claim 6, wherein R, independently for each occurrence, is selected from hydrogen, methyl, ethyl, butyl, -CH₂CH₂OH, -CH₂CH₂OTBDMS, or alkoxy, wherein TBDMS is *tert*-butyldimethylsilyl.
- 8. (Currently amended) An oligomer of claim 6, wherein a terminal thienyl group of the oligomer has is functionalized at C2 with an SH group.
- 9. (Previously presented) An oligomer of claim 8, wherein the SH group is adhered to a gold or palladium surface.
- 10. (Currently amended) An oligomer of claim 6, wherein a terminal thienyl group of the oligomer has is functionalized at C2 with a COOH group.
- 11. (Previously presented) An oligomer of claim 10, wherein the COOH group is adhered to an iron or aluminum surface.

2

9752688_1.DOC

Application No.: 10/643747 Docket No.: YU-P07-002

12. (Currently amended) An oligomer of claim 6, wherein a terminal thienyl group of the oligomer has is functionalized at C2 with a phosphine group.

- 13. (Currently amended) An oligomer of claim 6, wherein a terminal thienyl group of the oligomer has functionalized at C2 with a halogen.
- 14. (Currently amended) An oligomer of claim 6, wherein a terminal thienyl group of the oligomer has is functionalized at C2 with a bipyridyl group.
- 15. (Currently amended) An oligomer of claim 6, wherein a terminal ethynyl group of the oligomer has is functionalized with a trimethylsilane group.
- 16. (Previously presented) An oligomer of claim 6, wherein the oligomer is air and light stable.
- 17. (Previously presented) An oligomer of claim 6, wherein the oligomer is freely soluble in organic solvents.
- 18. (Previously presented) An oligomer of claim 6, wherein the oligomer has a length of about 100 Å.
- 19. (Previously presented) An oligomer of claim 6, wherein the oligomer has a conductivity of about 100 to 200 Ω^{-1} cm⁻¹.

9752688_1.DOC 3